


**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**In the Claims:**

What is claimed is:

Claim 1 (Currently Amended):                      A compound of Formula (I):



or a salt, solvate, or physiologically functional derivative thereof:  
wherein:

D is  $-NRR^1$ ,  $-OR$ ,  $-SR$ ,  $-S(O)R$ , or  $-S(O)_2R$ ;

R is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, aryl, heteroaryl,  $-C(O)NR^1R^1$ ,  $-C(O)OR^1$ , acyl, aroyl, or heteroaroyl;

$R^1$  is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, or aryl;

$R^2$  is  $C_1$ - $C_6$  alkyl or  $C_3$ - $C_7$  cycloalkyl;

$R^3$  is hydrogen,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl, aralkyl, cyanoalkyl,  $-(CH_2)_pC=CH(CH_2)_tH$ ,  $-(CH_2)_pC\equiv C(CH_2)_tH$ , or  $C_3$ - $C_7$  cycloalkyl;

p is 1, 2, or 3;

t is 0 or 1;

R<sup>4</sup> is hydrogen, halo, or cyano;

Q<sub>1</sub> is hydrogen, halo, C<sub>1</sub>-C<sub>2</sub> haloalkyl, C<sub>1</sub>-C<sub>2</sub> alkyl, C<sub>1</sub>-C<sub>2</sub> alkoxy, or C<sub>1</sub>-C<sub>2</sub> haloalkoxy;

Q<sub>2</sub> is A<sup>1</sup> or A<sup>2</sup>;

Q<sub>3</sub> is A<sup>1</sup> when Q<sub>2</sub> is A<sup>2</sup> and Q<sub>3</sub> is A<sup>2</sup> when Q<sub>2</sub> is A<sup>1</sup>;

wherein

A<sup>1</sup> is hydrogen, halo, C<sub>1</sub>-C<sub>3</sub> alkyl, C<sub>1</sub>-C<sub>3</sub> haloalkyl, -OR<sup>5</sup>, and

A<sup>2</sup> is the group defined by -(Z)<sub>m</sub>-(Z<sup>1</sup>)-(Z<sup>2</sup>), wherein

Z is CH<sub>2</sub> and m is 0, 1, 2, or 3, or

Z is NR<sup>5</sup> and m is 0 or 1, or

Z is oxygen and m is 0 or 1, or

Z is CH<sub>2</sub>NR<sup>6</sup> and m is 0 or 1;

Z<sup>1</sup> is S(O)<sub>2</sub>, S(O), or C(O); and

Z<sup>2</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl, cycloalkyl, heterocyclyl, -NR<sup>8</sup>R<sup>9</sup>, aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

R<sup>5</sup> and R<sup>6</sup> are each independently selected from hydrogen, hydroxyl, alkoxy, aryloxy, aralkoxy, C<sub>1</sub>-C<sub>4</sub> alkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, heterocyclyl, -S(O)<sub>2</sub>R<sup>7</sup>, and -C(O)R<sup>7</sup>;


R<sup>7</sup> is C<sub>1</sub>-C<sub>4</sub> alkyl, or C<sub>3</sub>-C<sub>7</sub> cycloalkyl;

R<sup>8</sup> is hydrogen, hydroxyl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>1</sub>-C<sub>6</sub> alkoxy, aryloxy, aralkoxy, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, and C<sub>3</sub>-C<sub>7</sub> cycloalkoxy; and

R<sup>9</sup> is hydrogen, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>3</sub>-C<sub>7</sub> cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

Claim 2 (Currently Amended):

A compound of Formula (II):



(II)

or a salt, solvate, or physiologically functional derivative thereof:

wherein:

R is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, aryl, heteroaryl,  $-C(O)NR^1R^1$ ,  $-C(O)OR^1$ , acyl, aroyl, or heteroaroyl;

$R^1$  is hydrogen,  $C_1$ - $C_8$  alkyl,  $C_3$ - $C_7$  cycloalkyl, aralkyl, or aryl;

$R^2$  is  $C_1$ - $C_6$  alkyl or  $C_3$ - $C_7$  cycloalkyl;

$R^3$  is hydrogen,  $C_1$ - $C_4$  alkyl,  $C_1$ - $C_4$  haloalkyl, aralkyl, cyanoalkyl,  $-(CH_2)_pC=CH(CH_2)_tH$ ,  $-(CH_2)_pC\equiv C(CH_2)_tH$ , or  $C_3$ - $C_7$  cycloalkyl;

p is 1, 2, or 3;

t is 0 or 1;

$R^4$  is hydrogen, halo, or cyano;

$Q_1$  is hydrogen, halo,  $C_1$ - $C_2$  haloalkyl,  $C_1$ - $C_2$  alkyl,  $C_1$ - $C_2$  alkoxy, or  $C_1$ - $C_2$  haloalkoxy;

$Q_2$  is  $A^1$  or  $A^2$ ;

$Q_3$  is  $A^1$  when  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^2$  when  $Q_2$  is  $A^1$ ;

wherein

$A^1$  is hydrogen, halo,  $C_1$ - $C_3$  alkyl,  $C_1$ - $C_3$  haloalkyl,  $-OR^5$ , and

$A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein

Z is  $CH_2$  and m is 0, 1, 2, or 3, or

Z is  $\text{NR}^5$  and m is 0 or 1, or

Z is oxygen and m is 0 or 1, or

Z is  $\text{CH}_2\text{NR}^6$  and m is 0 or 1;

$\text{Z}^1$  is  $\text{S}(\text{O})_2$ ,  $\text{S}(\text{O})$ , or  $\text{C}(\text{O})$ ; and

$\text{Z}^2$  is  $\text{C}_1\text{-C}_4$  alkyl, cycloalkyl, heterocyclyl,  $-\text{NR}^8\text{R}^9$ , aryl, arylamino, aralkyl, aralkoxy, or heteroaryl;

$\text{R}^5$  and  $\text{R}^6$  are each independently selected from hydrogen, hydroxyl, alkoxy, aryloxy, aralkoxy,  $\text{C}_1\text{-C}_4$  alkyl,  $\text{C}_3\text{-C}_7$  cycloalkyl, heterocyclyl,  $-\text{S}(\text{O})_2\text{R}^7$ , or  $-\text{C}(\text{O})\text{R}^7$ ;

$\text{R}^7$  is  $\text{C}_1\text{-C}_4$  alkyl, or  $\text{C}_3\text{-C}_7$  cycloalkyl;

$\text{R}^8$  is hydrogen, hydroxyl,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_1\text{-C}_6$  alkoxy, aryloxy, aralkoxy,  $\text{C}_3\text{-C}_7$  cycloalkyl, or  $\text{C}_3\text{-C}_7$  cycloalkoxy; and

$\text{R}^9$  is hydrogen,  $\text{C}_1\text{-C}_6$  alkyl,  $\text{C}_3\text{-C}_7$  cycloalkyl, aryl, acyl, carbamoyl, or heterocyclyl.

Claim 3 (Original):                    A compound as claimed in claim 1, wherein D is  $-\text{NRR}^1$ .

Claim 4 (Original):                    A compound as claimed in claim 1, wherein D is  $-\text{NRR}^1$  and R is  $\text{C}_1\text{-C}_8$  alkyl, aryl, or aralkyl and  $\text{R}^1$  is hydrogen.

Claim 5 (Original):                    A compound as claimed in claim 1, wherein D is  $-\text{NRR}^1$ , wherein R is methyl, isopropyl, benzyl, or phenyl and  $\text{R}^1$  is hydrogen.

Claim 6 (Previously Presented):                    A compound as claimed in claim 1, wherein  $\text{R}^2$  is  $\text{C}_1\text{-C}_8$  alkyl.

Claim 7 (Previously Presented): A compound as claimed in claim 1, wherein  $R^2$  is methyl.

Claim 8 (Previously Presented): A compound as claimed in claim 1, wherein  $R^3$  is hydrogen,  $C_1$ - $C_4$  alkyl, cyanoalkyl, or  $-(CH_2)_pC\equiv C(CH_2)_tH$ .

Claim 9 (Previously Presented): A compound as claimed in claim 1, wherein  $R^3$  is hydrogen, methyl, ethyl, isopropyl, cyanomethyl, or  $-(CH_2)_pC\equiv C(CH_2)_tH$ , wherein  $p$  is 1 and  $t$  is 0.

Claim 10 (Previously Presented): A compound as claimed in claim 1, wherein  $R^3$  is methyl.

Claim 11 (Previously Presented): A compound as claimed in claim 1, wherein  $R^4$  is hydrogen or halo.

Claim 12 (Previously Presented): A compound as claimed in claim 1, wherein  $R^4$  is hydrogen.

Claim 13 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_1$  is hydrogen, halo,  $C_1$ - $C_2$  alkyl or  $C_1$ - $C_2$  alkoxy.

Claim 14 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_1$  is hydrogen, chloro, methyl, or methoxy.

Claim 15 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ .

Claim 16 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ .

Claim 17 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ , wherein  $A^1$  is hydrogen, halo, or  $C_1$ - $C_3$  haloalkyl and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein  $Z$  is  $CH_2$  and  $m$  is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $C_1$ - $C_4$  alkyl or  $NR^8R^9$  and wherein  $R^8$  is hydrogen  $C_1$ - $C_4$ alkyl, or alkoxy and  $R^9$  is hydrogen,  $C_1$ - $C_4$ alkyl, or alkoxy.

Claim 18 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ , wherein  $A^1$  is hydrogen or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein  $Z$  is  $CH_2$  and  $m$  is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is methyl or  $-NH_2$ .

Claim 19 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , wherein  $A^1$  is hydrogen, halo, or  $C_1$ - $C_3$  alkyl and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein  $Z$  is  $CH_2$  and  $m$  is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $C_1$ - $C_4$  alkyl or  $NR^8R^9$ , and wherein  $R^8$  is hydrogen  $C_1$ - $C_4$ alkyl, or alkoxy and  $R^9$  is hydrogen,  $C_1$ - $C_4$ alkyl, or alkoxy.

Claim 20 (Previously Presented): A compound as claimed in claim 1, wherein  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , wherein  $A^1$  is hydrogen, methyl, or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , wherein  $Z$  is  $CH_2$  and  $m$  is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $NR^8R^9$ , wherein  $R^8$  is methoxy and  $R^9$  is hydrogen.

Claim 21 (Previously Presented): A compound as claimed in claim 1, wherein  $D$  is  $-NRR^1$ , where  $R$  is  $C_1$ - $C_8$  alkyl, aryl, or aralkyl and  $R^1$  is hydrogen;  $R^2$  is  $C_1$ - $C_8$  alkyl.  $R^2$  is methyl;  $R^3$  is methyl;  $R^4$  is hydrogen;  $Q_1$  is hydrogen, chloro, methyl, or methoxy;  $Q_2$  is  $A^2$  and  $Q_3$  is  $A^1$ , where  $A^1$  is hydrogen or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , where  $Z$  is  $CH_2$  and  $m$  is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is methyl or  $-NH_2$ .

Claim 22 (Original): A compound as claimed in claim 1, wherein D is  $-NRR^1$ , where R is  $C_1-C_8$  alkyl, aryl, or aralkyl and  $R^1$  is hydrogen;  $R^2$  is  $C_1-C_8$  alkyl.  $R^2$  is methyl;  $R^3$  is methyl;  $R^4$  is hydrogen;  $Q_1$  is hydrogen, chloro, methyl, or methoxy;  $Q_2$  is  $A^1$  and  $Q_3$  is  $A^2$ , where  $A^1$  is hydrogen, methyl, or chloro and  $A^2$  is the group defined by  $-(Z)_m-(Z^1)-(Z^2)$ , where Z is  $CH_2$  and m is 0 or 1;  $Z^1$  is  $S(O)_2$ ; and  $Z^2$  is  $NR^8R^9$ , where  $R^8$  is methoxy and  $R^9$  is hydrogen.

Claim 23 (Currently Amended): A compound as claimed in claim 1, selected from the group consisting of:

$N^2$ -isopropyl- $N^5$ , 1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

$N^2$ -isopropyl- $N^5$ , 1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

1-{4-[(4-{methyl[1-methyl-2-(methylamino)-1*H*-benzimidazol-5-yl]amino}pyrimidin-2-yl)amino]phenyl}methanesulfonamide;

$N^2$ -benzyl- $N^5$ , 1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]-1*H*-benzimidazole-2,5-diamine;

$N^5$ , 1-dimethyl- $N^5$ -[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]- $N^2$ -phenyl-1*H*-benzimidazole-2,5-diamine; and

5-({4-[[2-(benzylamino)-1-methyl-1*H*-benzimidazol-5-yl](methyl)amino]pyrimidin-2-yl}amino)-*N*-methoxy-2-methylbenzenesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 24 (Currently Amended): A compound as claimed in claim 1, selected from the group:

3-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidinylamino}-2-methyl-benzenesulfonamide;

(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-(4-fluoro-benzyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-{[2-(4-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;



3-(4-([2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-([2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*<sup>2</sup>-(4-methoxy-benzyl)-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-([2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-([2-(4-methoxy-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

5-(4-([2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

3-(4-([2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-benzenesulfonamide;

*N*<sup>2</sup>-(3-fluoro-benzyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-([2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-[4-(4-([2-(3-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino)-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

3-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

2-[4-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-ethanesulfonic acid methylamide;

*N*<sup>2</sup>-(4-chloro-benzyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>6</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

3-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-benzyl-1-ethyl-*N*<sup>6</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*<sup>5</sup>-methyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-(4-[[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylmethyl)-benzenesulfonamide;

5-(4-[[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

[4-(4-[[2-(2-fluoro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

2-(4-{4-[(2-benzylamino-1-ethyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

3-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

2-methyl-5-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

*N*<sup>6</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

[4-(4-{methyl-[1-methyl-2-(1-phenyl-ethylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-[[2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-benzenesulfonamide;

3-(4-[[2-(3-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-benzenesulfonamide;

[4-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid-3-(4-[[2-(4-chloro-benzylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl ester;

$N^5$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

$N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

$N^5$ -{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

$N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- $N^2$ -(4-methoxy-benzyl)-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

$N^2$ -benzyl- $N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl-1H-benzoimidazole-2,5-diamine;

$N^5$ -[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

$N^5$ -{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

$N^5$ -{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1,  $N^5$ -dimethyl- $N^2$ -(1-phenyl-ethyl)-1H-benzoimidazole-2,5-diamine;

2-methyl-5-(4-{methyl-[1-methyl-2-(4-methyl-benzylamino)-1H-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

$N^5$ -[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,  $N^5$ -dimethyl- $N^2$ -(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*<sup>5</sup>-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*<sup>5</sup>-{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

*N*<sup>5</sup>-{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine; and

*N*<sup>5</sup>-{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-(4-methyl-benzyl)-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 25 (Currently Amended): A compound as claimed in claim 1, selected from the group:

(1-methyl-5-{methyl-[2-(3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

3-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(1-methyl-5-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-phenyl-carbamic acid tert-butyl ester;

*N*<sup>5</sup>-[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-phenyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-phenyl-1H-benzoimidazole-2,5-diamine;

(4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

methanesulfonic acid 4-{4-[methyl-(1-methyl-2-phenylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl ester;

3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-(4-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

methanesulfonic acid 4-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

methanesulfonic acid 3-(4-{[2-(4-fluoro-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl ester;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-p-tolyl-1H-benzoimidazole-2,5-diamine;

[4-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

3-(4-{[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

5-(4-[[2-(4-tert-butyl-phenylamino)-1-methyl-1H-benzimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-(4-tert-butyl-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzimidazole-2,5-diamine;

(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*<sup>2</sup>-(4-methoxy-phenyl)-1, *N*<sup>5</sup>-dimethyl-1H-benzimidazole-2,5-diamine;

(4-methoxy-phenyl)-(1-methyl-5-{methyl-[2-(4-sulfamoylmethyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzimidazol-2-yl)-carbamic acid tert-butyl ester;

[4-(4-[[2-(4-methoxy-phenylamino)-1-methyl-1H-benzimidazol-5-yl]-methyl-amino]-pyrimidin-2-ylamino)-phenyl]-methanesulfonamide;

(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzimidazol-2-yl)-(4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*<sup>5</sup>-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*<sup>2</sup>-(4-methoxy-phenyl)-1, *N*<sup>5</sup>-dimethyl-1H-benzimidazole-2,5-diamine;

[5-([2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzimidazol-2-yl]-[4-methoxy-phenyl)-carbamic acid tert-butyl ester;

*N*<sup>5</sup>-[2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl]-*N*<sup>2</sup>-(4-methoxy-phenyl)-1, *N*<sup>5</sup>-dimethyl-1H-benzimidazole-2,5-diamine; and

*N*<sup>5</sup>-{2-[3-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-*N*<sup>2</sup>-(4-methoxy-phenyl)-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 26 (Currently Amended):                    A compound as claimed in claim 1, selected from the group:

3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

2-chloro-5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

5-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

2-(4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

methanesulfonic acid 4-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

methanesulfonic acid 3-{4-[(2-isopropylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl ester;

*N*<sup>2</sup>-isopropyl-*N*<sup>5</sup>-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

3-[4-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-ylamino)-pyrimidin-2-ylamino]-benzenesulfonamide;



2-methyl-5-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-*N*<sup>2</sup>-phenethyl-1H-benzoimidazole-2,5-diamine;

2-(4-{4-[methyl-(1-methyl-2-phenethylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-ethanesulfonic acid methylamide;

*N*<sup>2</sup>-tert-Butyl-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-cyclohexyl-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

5-{4-[(2-cyclohexylamino-1-methyl-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-cyclohexyl-*N*<sup>5</sup>-{2-[3-(2-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-cyclohexyl-*N*<sup>5</sup>-{2-[4-(2-methanesulfonyl-ethyl)-phenylamino]-pyridin-4-yl}-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-cyclohexyl-*N*<sup>5</sup>-{2-[4-(1-methanesulfonyl-ethyl)-phenylamino]-pyrimidin-4-yl}-1, *N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

2-methyl-5-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

(4-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

3-{4-[methyl-(1-methyl-2-methylamino-1H-benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

*N*<sup>5</sup>-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1, *N*<sup>2</sup>, *N*<sup>5</sup>-trimethyl-1H-benzoimidazole-2,5-diamine; and

(4-{4-[(1-ethyl-2-methylamino-1H-benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-phenyl)-methanesulfonamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 27 (Currently Amended): A compound as claimed in claim 1, selected from the group:

*N*<sup>1</sup>-methyl-*N*<sup>5</sup>-[2-(4-Methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-*N*<sup>5</sup>-methyl-*N*<sup>2</sup>-(4-trifluoromethyl-phenyl)-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(3-chloro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(4-chloro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2,4-dichloro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2,5-dichloro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-chloro-4-trifluoromethyl-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-chloro-5-trifluoromethyl-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl- *N*<sup>2</sup>-(4-morpholin-4-yl-phenyl)-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(3-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2,4-difluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-chloro-4-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(4-chloro-2-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-chloro-5-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-fluoro-4-methyl-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-fluoro-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(2-fluoro-5-trifluoromethyl-phenyl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>,*N*<sup>5</sup>-dimethyl-1*H*-benzoimidazole-2,5-diamine;

4-{4-[methyl-(1-methyl-2-methylsulfanyl-1*H* -benzoimidazol-5-yl)-amino]-pyrimidin-2-ylamino}-benzene sulfonamide;

4-{4-[(2-methanesulfinyl-1-methyl-1*H* --benzoimidazol-5-yl)-methyl-amino]-pyrimidin-2-ylamino}-benzenesulfonamide;

4-(4-{methyl-[1-methyl-2-(4-trifluoromethyl-phenylamino)-1*H*-benzoimidazol-5-yl]-amino}-pyrimidin-2-ylamino)-benzenesulfonamide;

(methyl-nitro-1H-benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-amine;

(methyl-nitro-1H -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

(amino-methyl-1 -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl)-carbamic acid dimethyl-ethyl ester;

[(2-chloro-pyrimidin-4-yl)-methyl-amino]-methyl-1H -benzoimidazol-2-yl)-(3-trifluoromethyl-phenyl) -carbamic acid dimethyl-ethyl ester; and

*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]- *N*<sup>1</sup>, *N*<sup>5</sup>-dimethyl- *N*<sup>2</sup>-(3-trifluoromethyl-phenyl)- 1H-benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 28 (Currently Amended): A compound as claimed in claim 1, selected from the group:

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-*N*<sup>5</sup> [2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,*N*<sup>5</sup>-dimethyl-1H-methyl-amino -benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-*N*<sup>5</sup>-[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1-1H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-*N*<sup>5</sup>--[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H--benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-*N*<sup>5</sup>-[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-1,*N*<sup>5</sup>-dimethyl-1-H-benzoimidazole-2,5-diamine;

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-*N*<sup>5</sup>-[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1-1H-benzoimidazole-2,5-diamine;

5-(4-{[2-(5-tert--butyl-isoxazol-3-ylamino)-1-methyl-1-H-benzoimidazol-5-yl]-methyl-amino}-pyrimidin-2-ylamino)-2-methyl-benzenesulfonamide;

*N*<sup>2</sup>-(6-fluoro-4-H benzo[1,3]dioxin-8-ylmethyl)- *N*<sup>5</sup> -[2-(3-methanesulfonyl-4-methyl-phenylamino)-pyrimidin-4-yl]-1-methyl-1H-benzoimidazole-2,5-diamine; and

*N*<sup>2</sup>-(5-tert-butyl-isoxazol-3-yl)-1-methyl-*N*<sup>5</sup>- {2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-1H -benzoimidazole-2,5-diamine;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 29 (Currently Amended): A compound as claimed in claim 1, selected from the group:

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-*N'*-phenylurea;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)indoline-1-carboxamide;

*N*-(5-tert-butylisoxazol-3-yl)-*N'*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)urea;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-2-phenylacetamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)-1-phenylcyclopropanecarboxamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)isonicotinamide;

*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)cyclohexanecarboxamide;

2-(benzyloxy)-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide;

2-(3-methylisoxazol-5-yl)-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)acetamide; and

3-[(dimethylamino)methyl]-*N*-(1-methyl-5-{methyl[2-({4-[(methylsulfonyl)methyl]phenyl}amino)pyrimidin-4-yl]amino}-1H-benzimidazol-2-yl)benzamide;

or a salt, solvate, or physiologically functional derivative thereof.

Claim 30: (Currently Amended):                    A compound as claimed in claim 1, selected from the group:

*N*-({[3-(4-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-*C*-thiophen-2-yl-acetamide;

*C*-fluoro-*N*-({[3-(3-methanesulfonylmethyl-phenylamino)-phenyl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-trifluoromethyl-benzamide;

difluoro-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-benzamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-3,5-bis-trifluoromethyl-benzamide;

cyclohexanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-methyl-benzamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

*C*-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(3,5-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-(5-{[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfonyl-phenyl)-acetamide;

(2,4-bis-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2-fluoro-5-trifluoromethyl-phenyl)-*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

3H-benzotriazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3H-benzoimidazole-5-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

thiophene-3-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-*C*-thiophen-2-yl-acetamide;

3-methyl-thiophene-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

furan-3-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

3-methyl-furan-2-carboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

*C*-(chloro-trifluoromethyl-phenyl)-*N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-2-(3-trifluoromethylsulfanyl-phenyl)-acetamide;

C-(fluoro-trifluoromethyl-phenyl)-N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-dimethyl-butylamide;

2-propyl-pentanoic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-isobutylamide;

cyclopropanecarboxylic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-4-methoxy-benzamide;

4-methoxy-N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-benzamide;

furan-2-carboxylic acid ([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-amide;

N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-C-thiophen-2-yl)-acetamide;

C-(chloro-trifluoromethyl-phenyl)-N-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;

4-methoxy-N-[methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-benzamide;

N-[methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl)-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-[2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl]-amino)-1H-benzoimidazol-2-yl]-amide;



furan-2-carboxylic acid [methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-2-(3-methyl-isoxazol-5-yl)-acetamide;

furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(morpholine-4-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

3-methyl-furan-2-carboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-C-thiophen-2-yl-acetamide;

thiophene-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

furan-2-carboxylic acid [methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-amide;

2-(3-methyl-isoxazol-5-yl)-*N*-[methyl-(methyl-{2-[3-(4-methyl-piperazine-1-sulfonyl)-phenylamino]-pyrimidin-4-yl}-amino)-1H-benzoimidazol-2-yl]-acetamide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-dimethyl-butyramide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-propionamide;

pentanoic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

*N*-({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-butyramide;

phenyl- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

phenylcyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

1-(2,5-difluoro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

1-(4-chloro-phenyl)-cyclopropanecarboxylic acid ({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

2-(4-fluoro-phenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

(3,5-bis(trifluoromethyl)-phenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

(3,4-dichlorophenyl)- *N* -({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

(2,5-difluorophenyl)- *N* -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(3,4-dichlorophenyl)- *N* -({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

(2,5-difluorophenyl)- *N* -({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-acetamide;

1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid ({[2-(5-ethanesulfonyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H -benzoimidazol-2-yl)-amide;

3,4-dichlorophenyl- *N*-({[2-(5-ethanesulfoyl-2-methoxy-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

1-(2,5-difluorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;

1-(3,4-dichlorophenyl)-cyclopropanecarboxylic acid (methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H -benzoimidazol-2-yl)-amide;

(3,4-dichlorophenyl)- *N* -(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amin o}-1H -benzoimidazol-2-yl)-acetamide;

2-(2,3-dimethoxyphenyl)- *N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-methoxyphenyl)-*N*-(5-{[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-fluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-difluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,3-difluorophenyl)- *N*-({[2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3,4-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-difluorophenyl)- *N*-(methyl-{methyl-[2-(4-methyl-3-sulfamoyl-phenylamino)-pyrimidin-4-yl]-amino}-1H-benzoimidazol-2-yl)-acetamide;

1-(3,4-dichloro-phenyl)-cyclopropanecarboxylic acid ({[2-(3-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino}-methyl-1H-benzoimidazol-2-yl)-amide;

2-(2-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(4-chlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(3,5-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

2-(2,5-dimethoxyphenyl)- *N*-(5-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-1-methyl-1H-benzoimidazol-2-yl)-acetamide;

(2,5-dichlorophenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-methyl-C-phenyl-butyramide;

(3,5-dimethylphenyl)- *N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

*N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)- phenyl-isobutyramide; and

benzo[1,3]dioxol-5-yl-*N*-([2-(4-methanesulfonylmethyl-phenylamino)-pyrimidin-4-yl]-methyl-amino)-methyl-1H-benzoimidazol-2-yl)-acetamide;

or a salt, ~~solvate, or physiologically functional derivative~~ thereof.

Claim 31 (Currently Amended): A pharmaceutical composition, comprising: a therapeutically effective amount of a compound as claimed in claim 1, or a salt, ~~solvate, or a physiologically functional derivative~~ thereof and one or more of pharmaceutically acceptable carriers, diluents and excipients.

Claim 32 (Original): The pharmaceutical composition of claim 31, further comprising at least one additional anti-neoplastic agent.

Claim 33 (Original): The pharmaceutical composition of claim 31, further comprising an additional agent which inhibits angiogenesis.

Claims 34-60 (Cancelled):